HA

	Application No.	Applicant(s)
Notice of Allowability	10/700,638	IIJIMA, CHIYOAKI
	Examiner	Art Unit
	Tai Duong	2871
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>RCE and Amendment 12/01/2005</u> .		
2. The allowed claim(s) is/are <u>1-10</u> .		
 3.		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF		
INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. Notice of References Cited (PTO-892)	5. Notice of Informal P	atent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary	(PTO-413),
3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/0	Paper No./Mail Dat 8), 7. ⊠ Examiner's Amendn	
Paper No./Mail Date 12/01/2005 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. Examiner's Stateme	nt of Reasons for Allowance
	9. ☐ Other TG	MEXPHYTEH PUNTON

EXAMINER'S AMENDMENT

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after allowance or after an Office action under *Ex Parte Quayle*, 25 USPQ 74, 453 O.G. 213 (Comm'r Pat. 1935). Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, prosecution in this application has been reopened pursuant to 37 CFR 1.114. Applicant's submission filed on 12/01/2005 has been entered.

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

In the claims

In claim 1, line 20, "upper polarizer" has been changed to – first polarizer --.

In claim 2, line 5, "the upper" has been changed to – the first --.

In claim 3, line 5, "the upper" has been changed to – the first --.

In claim 4, line 3, "upper polarizer" has been changed to – first polarizer --.

Application/Control Number: 10/700,638

Art Unit: 2871

REASONS FOR ALLOWANCE

The following is an examiner's statement of reasons for allowance:

None of the prior art of record discloses or suggests a transflective liquid crystal (LC) panel having the combination of the following features: a) a supertwisted LC layer having twist angle in the range of from 220 to 270 degrees; b) a transflective layer that is disposed on an *inner side* of the second substrate and that reflects and transmits a portion of light incident upon the liquid crystal panel c) wherein, in a pixel in a bright display of the liquid crystal panel, light emitted from the illuminating device and that is incident upon the upper polarizer from the liquid crystal layer is elliptically polarized light, and the product of an optical anisotropy Δn and a thickness d of the liquid crystal layer, $\Delta n.d.$ is in a range of from 820 nm to 950 nm; and d) the liquid crystal panel having a directional reflection function which causes light obliquely incident upon the liquid crystal panel to exit mainly in a direction *perpendicular* to the liquid crystal panel rather than in a specular reflection direction.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication should be directed to Tai Duong at telephone number (571) 272-2291.

The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

TD 04/06